

	Ref #	Hits	Search Text	DBs
1	S1	4	network with conversation with control with system with first with second and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S2	27	conversation with control with system with first with second and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	S3	62	(conversation or telephone) with (central adj control) with first with second and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S4	0	(conversation or telephone) with (central adj control) with (first adj converstion adj control) with second and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	S5	41	(conversation or telephone) with (central adj control) with (control adj units) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	S6	11	initiator with coupled with (conversation or telephone) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
7	S7	0	initiator with coupled with (central adj control) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	S8	7	initiator with (coupled or connected) with (central adj control) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	0	initiator with predictive with dialer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	1	initiator with dialer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	94	predictive with dialer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	34	telephone with predictive with dialer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	S13	0	(conversation or telephone) with (central adj control) with (control adj units) with components with cop\$4 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
14	S14	0	(conversation or telephone) with (central adj control) with (control adj units) with cop\$4 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	S15	2856 0707	(central adj control) with (control adj units) with cop\$5and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	S16	4	(central adj control) with (control adj units) with cop\$5 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	S18	0	(central adj control) with (control adj units) with (cop\$5 or share\$1) with (conversation or telephone) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	S17	16	(central adj control) with (control adj units) with (cop\$5 or share\$1) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	S19	0	(central adj control) with components with (control adj (units or systems)) with (cop\$5 or share\$1) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
20	S20	35	(central adj control) with (control adj (units or systems)) with (cop\$5 or share\$1) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	S21	5	(central adj control) with (control adj (units or systems)) with (cop\$5) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	S22	5	(central adj2 control) with (control adj (units or systems)) with (cop\$5) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	S23	217	(central control) SAME (control adj (units or systems)) with (copy or copied) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	S24	3	(central control) SAME (control adj (units or systems)) with (copy or copied) same (conversation or telephone) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	S25	0	(first adj conversation adj control) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
26	S26	0	(conversation or telephone) with (central adj control) with (control adj units) same initiator and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	S27	1	(conversation or telephone) same (control adj units) same initiator and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	S28	8	(conversation or telephone) same (control adj units) same initiat\$3 same switch\$4 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	S29	9641 8	(client or user) with (server or (central adj computer)) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	S30	1116	(client or user) with (server or (central adj computer)) with logging and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	S31	4706	(client or user) with (server or (central adj computer)) with (logging or connecting) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
32	S32	1074	(client or user) with (server or (central adj computer)) with (logging or connecting) with data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	S33	122	(client or user) with (server or (central adj computer)) with (logging or connecting) with data with (select\$4 or choos\$4) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	S34	5	(client or user) with (server or (central adj computer)) with (logging or connecting) with data with (select\$4 or choos\$4) with updat\$4 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S35	6	(client or user) with (server or (central adj computer)) with (logging or connecting) with data with (select\$4 or choos\$4) with (updat\$4 or upgrad\$4) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	2320	((client or user) adj2 (log\$4 or connect\$4)) with (server or (central adj computer)) with data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
37	S37	1030	((client or user) adj (log\$4 or connect\$4)) with (server or (central adj computer)) with data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	345	((clients or users) adj (log\$4 or connect\$4)) with (server or (central adj computer)) with data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	S39	35	((clients or users) adj (log\$4)) with (server or (central adj computer)) with data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	S40	5	"091651".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	S41	3	((clients or users) adj (log\$4)) with (server or (central adj computer)) with data with select\$3 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	S42	15	((clients or users) adj (log\$4)) with (server or (central adj computer)) with (select\$3 or choos\$3) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
43	S43	0	((clients or users) adj (log\$4)) with (server or (central adj computer)) with (select\$3 or choos\$3) same software same update and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	S44	38	(clients or users) with (server or (central adj computer)) with software with update and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	S45	3	(clients or users) with (server or (central adj computer)) with (software adj update) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	S46	1	((clients or users) adj (log\$4)) with (server or (central adj computer)) with (select\$3 or choos\$3) and computer and database and audio and speaker and keyboard and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	S47	1098	(software adj update) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
48	S48	3	(software adj update) and (determin\$4 with old adj software) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	S50	0	voip same computer same database same (audio adj file) same speaker\$1 same (keyboard or (input adj device)) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	S49	2651	voip and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	S51	608	voip same computer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	S52	1693	voip and computer and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	S53	397	voip and computer same database and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	S54	66	voip and computer same database same audio and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

included

	Ref #	Hits	Search Text	DBs
55	S55	8	voip and computer same database same audio same speaker\$1 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	S56	161	voip and database and audio same speaker\$1 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	S57	8	voip and database and (audio adj file) same speaker\$1 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	S58	263	voip and audio same speaker\$1 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	S59	452	voip and audio and speaker\$1 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	S60	441	voip and audio and speaker\$1 and data and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	S61	126	voip and audio and speaker\$1 and data and recipient and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

r/

N

	Ref #	Hits	Search Text	DBs
62	S62	441	voip and audio and speaker\$1 and data and ((step or part) of data) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	S63	0	voip and audio and speaker\$1 and data and ((step or part) adj ("of data")) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	S64	0	voip and audio and speaker\$1 and data and ((step or part) adj (of adj data)) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	S65	0	(step or part) adj ("of data") and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	S66	0	(step or part) adj2 ("of data") and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	S67	0	"part of data" and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	S68	0	"step of data" and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
69	S69	408	voip and audio and speaker\$1 and data and (step or part) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	S70	388	voip and audio and speaker\$1 and data and (step or part) and control and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	S71	81	voip and audio and speaker\$1 and data and (step or part) and control and (pre adj recorded) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	S73	0	voip and audio and speaker\$1 and data and (step or part) and control and (pre adj recorded) and languages and (predictive adj dialer) and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	S74	18	voip and audio and speaker\$1 and data and (step or part) and control and (pre adj recorded) and languages and terminate\$3 and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
74	S75	1416	java same different same language and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	S76	743	java same different same languages and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	S77	1	java same different same languages same english same spanish and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	S78	8	java same different same languages same english and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	S79	28	voip and audio and speaker\$1 and data and (step or part) and control and (pre adj recorded) and languages and (@pd<"20010904" or @ad<"20010904" or @rlad<"20010904" or @prad<"20010904")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB